


Regional Anesthesia for obstetric pain management

B|BRAUN
SHARING EXPERTISE




Labor pain: A common experience



Regardless of where and how birth takes place, labor is inherently unpredictable. During birth, any of the physiological processes involved can lead to significant discomfort or pain.¹

For many women, the experience of childbirth proves to be significantly more painful than anticipated as many of them tend to underestimate the intensity of labor pain.²



Labor pain is among the most severe types of physical pain that women may experience during their lifetime.

When compared to several chronic pain syndromes and pain levels after accidents, average scores of pain during labor are reported to be higher than those associated with bone fracture, sciatic, or dental pains.³

The relevance of labor pain is clear. With over 140 million births per year, the World Health Organization includes pain relief for labor as a key aspect in the guidelines for intrapartum care model for a positive childbirth experience.⁴

Severe labor pain can have consequences

No two people feel pain the same way, even if the reasons for their pain are alike. Pain not only causes discomfort, but it can also affect emotions, mood, daily activities and relationships.⁵

The impact of acute labor pain is documented, research has shown it is a risk factor for persistent postpartum pain and depressive disorders.⁶

Contrary to common belief, it is the severity of acute pain after childbirth, not type of delivery, that predicts persistent pain and postpartum depression.⁸

154 %

is the increased risk of depression development with prolonged pain duration.⁷

250 %

is the increase in the risk of persistent pain due to severe acute pain.⁸

300 %

is the increase in the risk of postpartum depression when preceded by severe acute pain.⁸



In the light of these consequences, and according to published findings, pain should be alleviated as soon and as effective as possible to reduce suffering, promote the healing process and rehabilitation and to prevent complications.⁹


Neuraxial techniques – the gold standard during labor

Since May 2025, the WFSA has launched a Declaration on Patients' Rights to Labour Analgesia, endorsed by several country anesthesia societies and other organizations.

It states: "Anaesthesiologists' expertise empowers pregnant patients by offering them choices in managing labor pain and also enhances the safety and security of obstetric patients across the globe."¹⁰

Whether the need is spinal, epidural or combined spinal epidural anesthesia or analgesia, we have the portfolio available to cover your needs, from single stand-alone devices to standardized or tailored procedure sets.

With more than 50 years of experience in neuraxial anesthesia, B. Braun is your partner in relief, every step of the way.




Obstetrics pain management – beyond neuraxial techniques

Some surgical procedures require specific approaches to pain management.

For C-sections, prospect (procedure specific post-operative pain management) recommendations, put together by PROSPECT Working Group under the European Society of Regional Anesthesia

and Pain Therapy (ESRA), recommends the use of Regional Anesthesia techniques as well as a multimodal pain management strategy.¹¹

At B. Braun we have the necessary devices and ready-to-use IV drugs to complement the neuraxial approaches.



To know more please visit:
www.bbraun.nl

Learn more about ...

Regional Anesthesia catalogue



Accomplish Pain Therapy with Regional Anesthesia, supported by B. Braun's product portfolio.



Literature

1. Benyamini Y, Delicate A, Ayers S, Dikmen-Yıldız P, Gouni O, Jonsdottir SS, Karlsdottir SI, Kömürçü Akik B, Leinweber J, Murphy-Tighe S, Pajalic Z. Key dimensions of women's and their partners' experiences of childbirth: a systematic review of reviews of qualitative studies. *PLoS One*. 2024;19(3):e0299151.
2. Lally JE, Murtagh MJ, Macphail S, Thomson R. More in hope than expectation: a systematic review of women's expectations and experience of pain relief in labour. *BMC Med*. 2008 Mar 14;6:7
3. Suarez-Easton S, Erez O, Zafran N, Carmeli J, Garmi G, Salim R. Pharmacologic and nonpharmacologic options for pain relief during labor: an expert review. *Am J Obstet Gynecol*. 2023 Apr;228(4):S819-S830.
4. WHO recommendations: intrapartum care for a positive childbirth experience. Geneva: World Health Organization; 2018. 4p.
5. Pain – National Institute of Neurological Disorders and Stroke. Available from: <https://www.ninds.nih.gov/health-information/disorders/pain> [Last accessed on 2025 July 16].
6. Du W, Bo L, Xu Z, Liu Z. Childbirth Pain, Labor Epidural Analgesia, and Postpartum Depression: Recent Evidence and Future Directions. *J Pain Res*. 2022 Sep 24;15:3007-3015.
7. Zeng J, Liao Z, Lin A, Zou Y, Chen Y, Liu Z, Zhou Z. Poor control of pain increases the risk of depression: a cross-sectional study. *Front Psychiatry*. 2025 Jan 7;15:1514094.
8. Eisenach JC, Pan PH, Smiley R, Lavand'homme P, Landau R, Houle TT. Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression. *Pain*. 2008; 140(1):87-94.
9. Pogatzki-Zahn EM, Segelcke D, Schug SA. Postoperative pain—from mechanisms to treatment. *Pain Rep*. 2017 Mar-Apr;2(2):e588.
10. Declaration on Patients' Rights to Labour Analgesia Available from: <https://wfsahq.org/wp-content/uploads/WFSA-Declaration-on-Patients-Rights-to-Labour-Analgesia-2.pdf> [Last accessed on 2025 July 16]
11. Roofthoof E, Joshi GP, Rawal N, Van de Velde M. PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations. *Anaesthesia*. 2021; 76(5):665-680.

B. Braun Medical B.V. | +31(0)412 67 24 11 | customercare.nl@bbraun.com | www.bbraun.nl

The information contained in this communication is strictly confidential, may constitute inside information, and is intended only for the use of the addressee. It is the property of the sender of this information. Unauthorized use, disclosure, or copying of this communication or any part thereof is strictly prohibited and may be unlawful.